

SOMATOTYPE

BIBLIOGRAPHY II

1990 +

J.E. Lindsay Carter, Ph.D.
Exercise and Nutritional Sciences
San Diego State University
San Diego, CA. 92182-7251. USA.

This bibliography continues on from SOMATOTYPE BIBLIOGRAPHY I, which includes references from 1938-1989. To add to this bibliography, send an e-mail to lindsay.carter@sdsu.edu with the references in the correct format.

[Edited 3 November 2006]

- Alexander, P. (1995). Aptitud Fisica, Caracteristicas Morfologicas y Pruebas Estandarizadas in Venezuela. Caracas: Instituto Nacional de Deportes.
- Alexander, P., Mota, D. and Arevalo, A. (1993). Normas para la evaluation de la aptitud fisica y caracteristicas morfologicas del estudiante Guatemalteco. Ciencias de la Actividad Fisica. Caracas, Venezuela: Claced. 2, 1, 1,54.
- Almagia, F.A., Torro, D.T., Binvignat, G.O., Cabrera, E., Marinao, A. (1996). Appoximacion al perfil morfoestructural y dimorfismo sexual de jovenes de ambos sexos de 6 a 23 años de edad caracterizados por el somatotipo. Rev. Chil. Anat., 14 (2), 189-197.
- Almagia, F.A.A., Torro, D.T.A., Gurovich, M.A., Cabrera, E., Marinao, A. and Binvignat, O. (1996). Determinacion y analisis de la morfoestructura de un equipo de futbol profesional. Rev. Chil. Anat., 14 (1), 87-95.
- Alvero Cruz, J.R. (1995). Proporcionalidad en jugadores de balonmano. (Proportionality in handball players.) In C. Garcia Lopez (Ed.), Actas del Congreso Ceintifico Olimpico 1992, Biomecanica y Cineantropometria, Vol. V, pp. 192-198. Malaga, Spain: Instituto Andaluz del Deporte.
- Alvero Cruz, J.R. (1995). Perfil morfofuncional y bioquimico en ciclistas juveniles. (Morphofunctional and biochemical profiles in young cyclists.) In C. Garcia Lopez (Ed.), Actas del Congreso Ceintifico Olimpico 1992, Biomecanica y Cineantropometria, Vol. V, pp. 207-214. Malaga, Spain: Instituto Andaluz del Deporte.

- Alvero Cruz, J.R. (1995). Estudio cineanthropométrico en jugadores veteranos de balonmano inactivos. (Kinanthropometric study of inactive veteran handball players.) In C. Garcia Lopez (Ed.), *Actas del Congreso Científico Olímpico 1992, Biomecánica y Cineantropometría*, Vol. V, pp. 215-224. Malaga, Spain: Instituto Andaluz del Deporte.
- Amusa, L.O., Toriola, A.L. and Agbonjinmi, A.P. (2003). Anthropometric profiles of top national track athletes. *African Journal for Physical, Health Education, Recreation and Dance*. 9:1, 67-82.
- Amusa, L.O. and Onyewaddume, I.U. (2001). Anthropometry, body composition and somatotypes of Botswana national Karate players: A descriptive study. *Acta Kinesiologica Universitatis Tartuensis*, 6, 7-14.
- Aragónés, M. and Casajús, J.A. (1991). Modificaciones antropométricas debidas al entrenamiento. *Estudios longitudinales. Archivos de Medicina del Deporte*. VIII:32; 345-353.
- Arraj, J. (1990). *Tracking the elusive human, Volume II*. Chiloquin, Oregon: Inner Growth Books and Videos.
- Arraj, J. and Arraj, T. (1990). *Tracking the elusive human, Volume I*. Chiloquin, Oregon: Inner Growth Books and Videos.
- Arraj, J. and Arraj, T. (1994). William Sheldon: A Forgotten Giant of American Psychology. (VHS Video, 40 min.) Chiloquin, OR: Inner Growth Books & Videos.
- Badenhorst, L., de Ridder, J.H. and Underhay, C. (2003). Somatotype, blood pressure, and physical activity among 10- to 15- year old South African boys: the Thusa Bana Study. *African Journal for Physical, Health Education, Recreation & Dance*, (Suppl), 184-195.
- Barbieri C.C., Rodriguez P.H. and Narvaez P.G. (1996). Kineantropometría de deportistas participantes en las finales provinciales de los torneos juveniles bonaerenses de 1994, Argentina. (Kinanthropometry of young athletes in the 1994 Bonaerenses Juvenile tournament.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 41: 5-27.
- Battinelli, T. (2000). *Physique, Fitness, and Performance*. Boca Raton, FL.: CRC Press.
- Bing-Biehl, C. and Biehl da Silva, C. (1991). Comparació entre el somatotip d'homes de la tercera edat sedentaris i practicants d'exercicis físics regulars al llarg de la vida. *Apunts: Medicina de l'esport*, 28, 261-269.
- Bing-Biehl, C. and Zuma Maia, F.C. (1990). Somatótipos de pilotos da força aérea Brasileira. H. F. A. *Publicação Técnico-Científica do Hospital das Forças Armadas*, 5 (1,2), 13-16.
- Bloomfield, J., Ackland, T.R. and Elliott, B.C. (1994). *Applied Anatomy and Biomechanics in Sport*, Chapt. 5, pp. 46-64. Melbourne: Blackwell Scientific Publications.

- Bodzsár, E.B. (1991) The Bakony Growth Study. Budapest: Humanbiologia Budapestinensis.
- Bolonchuk, W.W., Siders, W.A., Lykken, G.I. and Lukaski, H.C. (1998). The association of dominant somatotype of men with body structure, function during exercise and nutritional assessment. U.S. Department of Agriculture, Agricultural Research Service, Northern Plains Area, Grand Forks, North Dakota, USA. (Report of 34 pages.)
- Boswell, R.E. (1991). Anthropometric analysis of baseball players and non-throwing college athletes. M.A. thesis, San Diego State University, San Diego.
- Brenner, J.F., Casey, V.A., Dwyer, J.T. and Bailey, S.M. (1994). The measurement of body fat distribution using somatotype photographs and computer-assisted techniques. *Annals of Human Biology*, 21, 1, 23-38.
- Broekhoff, J., Pieter, W., Taaffe, D. and Nadgir. (1993). A. Somatotypes of female veteran track and field athletes. In W. Duquet and J.A.P. Day (Eds.), *Kinanthropometry IV*, pp. 189-197. London: E. & F.N. Spon.
- Buday, J. (1990). Growth and Physique in Down Syndrome Children and Adults. Budapest: Humanbiologia Budapestinensis.
- Buffa, R., Succa, V., Garau, D., Marini, E. and Floris, G. (2005). Variations of somatotype in elderly Sardinians. *American Journal of Human Biology*, 17: 403-411.
- Caine, D., Tremblay, M. and Yu, M. (1994). An exploratory somatotype study of children with movement difficulties. In: F.I. Bell and G.H. Van Gyn (Eds.), *Access to Active Living*, Proc. 10th Commonwealth & Int. Scientific Congr., Kinanthropometry Section, 10-14 Aug. 1994, Victoria, B.C., Canada, 317-322.
- Catell, P. and Metzner, R. (1993). Associations among somatotype, temperament and self-actualization. *Psychological Reports*, 72:3, 1165-66.
- Carlson, B.R., Carter, J.E.L., Patterson, P., Petti, K., Orfanos, S.M. and Noffal, G.J. (1994). Physique and motor performance characteristics of US national rugby players. *Journal of Sports Sciences*, 12, 403-412.
- Carter, J.E.L. (1995). Constitución física de los atletas en el campeonato mundial de actividades acuáticas. (Physical structure of athletes at the World Aquatic Championships.) In C. Garcia Lopez (Ed.), *Actas del Congreso Científico Olímpico 1992, Biomecánica y Cineantropometría*, Vol. V, pp. 180-184. Malaga, Spain: Instituto Andaluz del Deporte.
- Carter, L. (1996). Somatotyping. In K. Norton and T. Olds (Eds.), *Anthropometrica*, Chapt. 6, pp. 148-170. Sydney: University of New South Wales Press.

- Same chapter in Spanish: Técnicas de medición en antropometría. In: K. Norton and T. Olds (Eds.), *Antropometria* (Edición en español; J.C. Mazza, Ed.) Rosario, ARG: Biosystem Servicio Educativo, 2000. (Cap. 2, pp. 23-69.)
- Carter, J.E.L. (1996). Somatotype analysis - review and comments. In: L.S. Sidhu and S.P. Singh (Eds.), *Human Biology - Global Developments*, pp. 95-103. Ludhiana, India: USG Publishers & Distributors.
- Carter, J.E.L. (2003). Anthropometry of team sports. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 11, pp. 117-130. London: Routledge.
- Carter, J.E.L. and Ackland, T.R. (2006). Somatotype in sport. In: T.R. Ackland, B.C. Elliot and J. Bloomfield (Eds.), *Applied Anatomy and Biomechanics in Sport*, 2nd Edition, Chapt. 4. Champaign, IL: Human Kinetics. (In press.)
- Carter, J.E.L., Ackland, T.A., Kerr, D.A. and Stapff, A.B. (2005). Somatotype and size of elite female basketball players. *Journal of Sports Sciences*, 23(10): 1057-1063.
- Carter, J.E.L., and Duquet, W. (1999) Letter to the Editor. *American Journal of Human Biology*, 11:433-436.
- Carter, J.E.L., Duquet, W. and Rempel, R. (1998). Letter to the editor. *American Journal of Human Biology*, 10: 2-4. (SDD)
- Carter, J.E.L. and Heath, B.H. (1990). *Somatotyping – Development and Applications*. Cambridge: Cambridge University Press.
- Carter, J.E.L. and Marfell-Jones, M.J. (1994). Somatotypes. In: J.E.L. Carter and T.R. Ackland (Eds.), *Kinanthropometry in Aquatic Sports - A Study of World Class Athletes*. Champaign, IL: Human Kinetics, Chapter 4, 55-82.
- Carter, J.E.L., Mirwald, R.L., Heath-Roll, B.H. and Bailey, D.A. (1997). Somatotypes of 7-16 year-old boys in Saskatchewan, Canada. *American Journal of Human Biology*. 9:(2), 257-272.
- Carter, J.E.L., Powell-Santi, L.A. and Rodriguez Alonzo, C. (1994). Physique and performance of USA volleyball players. In: F.I. Bell and G.H. Van Gyn (Eds.), *Access to Active Living*, Proc. 10th Commonwealth & Int. Scientific Congr., Kinanthropometry Section, 10-14 Aug. 1994, Victoria, B.C., Canada, 311-316.
- Carter, J.E.L., Rienzi, E.G., Gomes, P.S.C. and Martin, A. (1998). Somatotipo y Tamaño Corporal. In: E. Rienzi, J.C. Mazza, J.E.L. Carter and T. Reilly (Eds.). *Futbolista Sudamericano de Elite: Morfologia, Analisis del Juego y Performance*, pp. 64-77. Rosario, Argentina: Biosystem Servicio Educativo.

- Casagrande, G. and Viviani, F. (1993). Somatotype of Italian rugby players. *The Journal of Sports Medicine and Physical Fitness*, 33, 1, 65-69.
- Casajus Mallen, J.A. (1996). Actividad física en el niño en edad escolar: características antropométricas, composición corporal y madurez. Tesis doctoral (microfichas). Prentice Hall Universitarias de Zaragoza: Zaragoza.
- Casajús, J.A. (2001). Seasonal variation in fitness variables in professional soccer players. *Journal of Sports Medicine and Physical Fitness*, 41:4; 463-469.
- Casajús, J.A. and Aragonés, M.T. (1991). Estudio morfológico del futbolista de alto nivel. Composición corporal y somatotipo. (Parte 1) *Archivos de Medicina Del Deporte*, 30, 147-151.
- Casajús Mallén, J.A. and Aragonés Clemente, M.T. (1993). Valoración antropométrica del futbolista por categoría deportiva y posición en el terreno de juego. *Revista Portuguesa de Medicina Desportiva*, 11, 101-116.
- Casajús Mallén, J.A. and Aragonés Clemente, M.T. (1997). Estudio cineantropométrico del futbolista profesional Español. *Archivos de Medicina Del Deporte*, 59, 177-184. (SDI)
- Casajús Mallén, J.A. and Aragonés Clemente, M.T. (1997). Kinanthropometric study of spanish professional soccer player. *Archivos de Medicina Del Deporte*, 59, 117-184. (SDI)
- Casey, V.A., Dwyer, J.T., Berkey, C.S., Bailey, S.M., Coleman, K.A. and Valadian, I. (1994). The distribution of body fat from childhood to adulthood in a longitudinal study population. *Annals of Human Biology*, 21, 1, 39-55.
- Cattrysse, E., Zinzen, E., Caboor, D., Duquet, W., Van Roy, P. and Clarys, J.P. (2002). Anthropometric fractionation of body mass: Matiegka revisited. *Journal of Sports Sciences*, 20:9; 717-723.
- Chaouachi, M., Chaouachi, A., Chamari, K., Chtara, M., Feki, Y., Amri, M. and Trudeau, F. (2005). Effects of dominant somatotypes on aerobic capacity trainability. *British Journal of Sports Medicine*, 39: 954-959.
- Chatterjee, P., Banerjee, A.K., Majumdar, P. and Chatterjee, P. (2006) Anthropometric and physical performance variables of Indian women boxers. *African Journal for Physical, Health Education, Recreation and Dance*. 12:2; 204-213.
- Chovanova, E., Uher, L., Slamka, M., Pataki, L., Ramacsay, L. and Bzduch, I. (1986). Somatotypological analysis of weight lifters of individual weight classes. *Proceedings from the XVI Congress of Czechoslovak Anthropologists with International Participation, Bratislava 1986*, 122-126.

- Chowdhary, U. (1993). Self-perceived somatotypes and clothing-related behaviours of older men and women. *Perceptual and Motor Skills*, 77:1, 307-?.
- Claessens, A.L., Beunen, G., Lefevre, J., Stijnen, V., Maes, H. and Veer, F.M. (1990). Relation between physique and performance in outstanding female gymnasts. Amsterdam: In Hermans, G.P. H. and Mosterd, W.L. (Eds.). *Sports, Medicine and Health*.
- Claessens, A.L., Bourgois, J., Pintens, K., Lefevre, J., Van Renterghem, B., Philippaerts, R., Loos, R., Janssens, M., Thomis, M. and Vrijens, J. (2002). Body composition and somatotype characteristics of elite female junior rowers in relation to level, rowing style, and boat type. In: O.G. Eiben and E.B. Bods  r, with A. Zs  kai (Eds.), *Children and Youth at the Beginning of the 21st Century*. Humanbiologia Budapenstinesis, 27, 159-165.
- Claessens, A., Lefevre, J., Beunen, G. and De Corte, D. (1990). Somatic structure and somatotype of female physical education students; a comparison of different methods. In: V.V. Novotny and S. Titlbachova, *Methods of Functional Anthropology* (2). Prague: Universitas Carolina Pragensis, 253-261.
- Claessens, A.L., Lefevre, J., Beunen, G., Maes, M. and Stijnen, V. (1994). Body composition and somatotype characteristics of outstanding male gymnasts. In: F.I. Bell and G.H. Van Gyn (Eds.), *Access to Active Living, Proc. 10th Commonwealth & Int. Scientific Congr., Kinanthropometry Section*, 10-14 Aug. 1994, Victoria, B.C., Canada, 308-310.
- Claessens A.L., Malina, R.M., Lefevre, J., Beunen, G., Stijnen, V., Maes, H. and Veer, F.M. (1992). Growth and menarcheal status of elite female gymnasts. *Medicine and Science in Sports and Exercise*, 24, 7, 755-763.
- Claessens, A.L., Pince, I., Lefevre, J. et al. (1995). Seguimiento del indice de tronco de Sheldon en hombres desde la primera adolescencia hasta la edad adulta. (Tracking of Sheldon's trunk index in males from early adolescence through adulthood.) In C. Garcia Lopez (Ed.), *Actas del Congreso Cientifico Olimpico 1992, Biomecanica y Cineantropometria*, Vol. V, pp. 264-267. Malaga, Spain: Instituto Andaluz del Deporte.
- Claessens, A.L., Veer, F.M., Stijnen, V., Lefevre, J., Maes, H., Steens, G. and Beunen, G. (1991). Anthropometric characteristics of outstanding male and female gymnasts. *Journal of Sports Sciences*, 9, 53-74.
- Clough, M. L. (1995). Applying somatotyping and morphing to the study of body image. B.Sc. Thesis, University of New South Wales, Sydney, Australia.
- Collins, M.A., Millard-Stafford, M.L., Evans, E.M., Snow, T.K., Cureton, K.J. and Rosskopf, L.B. (2004). Effect of race and musculoskeletal development of the accuracy of air plethysmography. *Medicine & Science in Sports and Exercise*, 1070-1077.

- Cooper, S-M., Reid, C. and Hanton, S. (2002). Androgyny of physique, somatotype and psychological androgyny in successful netball players. *Journal of Sports Sciences*, 20:1; 33-34 (Abstract).
- Cressie, N.A.C. (1998). Letter to the editor. *American Journal of Human Biology*, 10 (1), 1-2. (SDD)
- Cyrino, E.S., Maestá, N., dos Reis, D.A., Nardo Junior, N., Morelli, M.Y.G., Santarém, J.M. and Burini, R.C. (2002). Perfil antropométrico de culturistas Brasileiras de elite. *Rev. Paul. Educ. Fis.*, São Paulo, 16:1, pp. 27-34.
- De Ridder, J.H. (1992). A morphological profile of junior and senior Cravenweek rugby players. Ph.D. thesis, Potchefstroom University for CHE, Potchefstroom, S.A.
- De Ridder, J.H., Amusa, L.O., Monyeki, K.D., Toriola, A.L., Carter, J.E.L. (2001) Kinanthropometry in African Sports: Body Composition and somatotypes of world class female African middle-, long-distance and marathon runners. *African Journal for Physical, Health Education, Recreation and Dance*, Vol 7(1):1-13.
- De Ridder, J.H., Monyeki, K.D., Amusa, L.O., Toriola, A.L., Wekesa, M., Carter, J.E.L. (2000) Kinanthropometry in African sports: Somatotypes of female African athletes. *African Journal for Physical, Health Education, Recreation and Dance*, Vol 6(1):1-15.
- De Ridder, H., Monyeki, D., Amusa, L., Toriola, A., Wekesa, M., and Carter, L. (2000) Kinanthropometry in African sports: Body composition and somatotypes of world class male African middle distance, long distance and marathon runners. In: K. Norton, T. Olds and J. Dollman (Eds.), *Kinanthropometry VI: Proceedings of the Sixth Conference of the International Society for the Advancement of Kinanthropometry*, (pp. 37-51). Adelaide, SA: International Society for the Advancement of Kinanthropometry.
- De Ridder, J.H. and Peens, J. (2000). Morphological prediction functions for South African club championship cricket players. *African Journal for Physical, Health Education, Recreation and Dance*, 6:1, 65-74..
- De Ridder, J.H., Smith, E., Wilders, C. and Underhay, C. (2003). Sexual dimorphism in elite middle-distance runners: 1995 All-African Games (Project HAAGKIP). In H. de Ridder and T. Olds (Eds.). *Kinanthropometry 7*, pp. 57-75. Potchefstroom, SAF: Potchefstroom University for Christian Higher Education.
- De Ridder, J.H., Van Der Walt, T.S.P. and Carter, J.E.L. (1995). Los somatotipos de escolares Sudafricanos Jugadores de rugby de elite. (The somatotypes of elite South African schoolboy rugby players.) In C. Garcia Lopez (Ed.), *Actas del Congreso Científico Olimpico 1992, Biomecanica y Cineantropometria*, Vol. V, pp. 292-301. Malaga, Spain: Instituto Andaluz del Deporte.

- De Rose, E.H., Crawford, S.M., Kerr, D.A., Ward, R. and Ross, W.D. (1989). Physique characteristics of Pan American Games lightweight rowers. *International Journal of Sports Medicine*, 4, 10, 292-297.
- Diaz Gamboa, J. and Fuentes Heinrich, E. (1996). Composición corporal y somatotipo de infantes Aymara que habitan en el altiplano del norte de Chile. (Body composition and somatotype of children with Aymara ancestry, living in the high plateau of northern Chile.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 41: 87-95.
- Dolezych B., Laszczyca P. 2001. Somatotype According to Sheldon Using the Heath & Carter Method. sheldon.mcd. Mathcad files/Biology 8/01.
http://www.mathcad.com/resources/mathcad_files/
- Dominguez L., M. and Lehyt M., L. (1994). Entrenamiento de movilidad y flexibilidad articular en mujeres adultos sedentarias: Impacto en su potencia aeróbica máxima y variables kinantropométricas. (Joint mobility and flexibility training in adult sedentary women: effects on the maximum aerobic power and kinanthropometric variables.). *Archivos de la Sociedad Chilena de Medicina del Deporte*, 39: 91-96.
- Doran, D.A., Chantler, P., Jones, S. and Leatt, P. Anthropometric and somatotype characteristics of HIV+ lipodystrophic individuals undergoing 'Haart' therapy. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 27, pp. 283-294. London: Routledge.
- Doran, D.A., Donnelly, J.P. and Reilly, T. (2003). Kinanthropometric and performance characteristics of Gaelic games players. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 17, pp. 181-191. London: Routledge.
- Duquet, W. and Carter, J.E.L. (2001) Somatotyping. In: R. Eston and T. Reilly (Eds.), *Kinanthropometry and Exercise Physiology Laboratory Manual: Tests, procedures and data*. 2nd Ed. (Chapt. 2. pp. 47-64)
- Duquet, W., Borms, J., Hebbelinck, M., Day, J.A.P. and Cordemans. (1993). P. Longitudinal study of the stability of the somatotype in boys and girls. In W. Duquet and J.A.P. Day (Eds.), *Kinanthropometry IV*, pp. 54-67. London: E. & F.N. Spon.
- Duquet, W. and Carter, J.E.L. (2001). Somatotyping. In R.G. Eston and T. Reilly, *Kinanthropometry and Exercise Physiology Laboratory Manual: Tests, procedures and data*. 2nd Ed. (Chapt. 2. pp. 47-64). London: Chapman & Hall.
- Eiben, O.G. (1990). An anthropological sketch on the Hungarian centenarians. *Coll. Antropol.* 14:2; 219-225.
- Eiben, O.G. and Bodzsar, E.B. (1990). Measurable constitutional characters and selective survival in Hungarian centenarians. Beregi, E. (ed.): *Centenarians in Hungary. A Social and Demographic Study*. Interdiscipl Top Gerontol. Basel, Karger. vol 27, 31-39.

- Eiben, O. and Nemeth, A. (2001). Somatotypes of Budapest children. In P. Dasgupta and R. Hauspie (Eds.). *Perspectives in Human Growth, Development and Maturation*. Ch. 23, pp. 301-312. Dordrecht, Netherlands: Kluwer Academic Publishers.
- Eisenman, R. (1993). The body type/temperament mismatch and self-actualization. *Psychological Reports*, 73:3, 942.
- Esparza Ros, F. and Alvero, J.R., (1993). Somatotipo. In F. Esparza Ros (Eds), *Manual De Cineantropometria* (pp. 67-93). Madrid: Monografias FEMEDE.
- Fragoso, I., Fortes, M., Vieira, F. and Canto e Castro, L. (2003). Identifying Maturational Levels During Adolescence: A Methodological Problem. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 7, pp. 69-81. London: Routledge.
- Fry, A.C., Ryan, A.J., Schwab, R.J., Powell, D.R. and Kraemer, W.J. (1991). Anthropometric characteristics as discriminators of body-building success. *Journal of Sports Sciences*, 9, 23-32.
- Galati, T.P. (1996). *Physiques of female gymnasts, swimmers and controls, aged 10-14 years*. M.A. thesis, San Diego State University, San Diego, CA.
- Gardner, R.M. and Tockerman, Y.R. (1994). A computer-TV video methodology for investigating the influence of somatotype on perceived personality traits. *Journal of social behaviour and personality*. 9:3, 555-?.
- Garganta, J., Maia, J. and Pinto, J. (Year?) Somatotype, body composition and physical performance capacities of elite young soccer players. (SOURCE NOT KNOWN) pp. 293-295.
- Gaur, R., and Pal Singh, R. (1997). Age differences in somatotypes of Garhwali males 17-60 years of Age. *American Journal of Human Biology*, 9 (3), 285-290.
- Gaur, R., and Sarkar, P. (1998) Somatotypes of North Indian children with thalassemia major. *ACTA Medica Auxologica*, 30 (2), 89-95.
- Gavilan C., A. and Godoy P., J. de D. (1994). Las categorías de peso en el Judo y el levantamiento olímpico de pesas. Su efecto en el somatotipo y la composición corporal. (The weight categories of judo and olympic weightlifting. Its effect in the somatotype and the body composition.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 39: 102-106.
- Geok, Soh Kim. (2005). Anthropometric profiles of Malaysian netball players. *African Journal for Physical, Health Education, Recreation and Dance*, 11:4; 464-471.

- Gobbo, L.A., Papst, R.R., Carvalho, F.O., Souza, C.G., Cuattrin, S.A. and Cyrino, E.S. (2002). Perfil antropométrico de seleção brasileira de canoagem. (Anthropometric profile of the Brazilian National Canoeing Team.) *Revista Brasileira de Ciência e Movimento*, 10:1, 7-12.
- Godoy P., J. de D. and Barcos S., M. (1995). Potencia aeróbica máxima, somatotipo y composición corporal de niñas escolares de 4 a 11 años de edad, de nivel socioeconómico bajo. (Maximal aerobic power, somatotype and body composition of school girls of low socioeconomic level.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 40: 21-28.
- Godoy P., J. de D. and Grifferos Cáceres, T. (1994). Variabilidad de factores kinantropométricos intra e inter-niveles de la enseñanza media. (Variability of kinanthropometric factors within and between levels in the middle school.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 39: 66-76.
- Godoy P., J. de D., Ugarte S., J., Donoso V., V., Zupeuc S., F., Herrera F., A. and Valle S., A. (1994). Somatotipos de escolares varones Chilenos: Cambios con el crecimiento. (Seguimiento de cohortes y estudios transversales durante 5 años.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 39: 119-134.
- Godinho, M., Fragoso, I. and Vieira, F. (1996) Morphologic and anthropometric characteristics of high level Dutch korfbal players. *Perceptual and Motor Skills*, 82: 35-42.
- Goncalves, H.R., Oseiki, R., Tsuneta, P. and Zamberian, E. (1991). Parametros antropométricos, metabólicos e motores em handebolistas de alto nível. *Revista Brasileira de Ciencia & Movimento*, 5, 1, 55-59.
- Goulding, M.E.R. (2001). The development of somatotype calculation and analysis software. Honours Thesis, University of South Australia, Underdale, SA, Australia.
- Goulding, M. (2002). Somatotype – Calculation and Analysis. (CD-Rom software program.) Sweat Technologies, Mitchell Park, South Australia.
- Gualdi-Russo, E. and Graziani, I. (1993). Anthropometric somatotype of Italian sport participants. *J. of Sports Medicine and Physical Fitness*, 33:3, 282-?
- Hebbelinck, M., Duquet, W., Borms, J. and Carter, L. (1995). Stability of somatotypes: a longitudinal growth study in Belgian children followed from 6 to 17 years. *American Journal of Human Biology*, 7:575-588.
- Herrera R.O. (1994). Efectos de la práctica del basketbol en el somatotipo y la composición corporal de escolares varones. (Basketball practice effects on the somatotype and the body composition of school boys.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 39: 97-101.
- Igbokwe, N.U. (1991). Somatotypes of Nigerian power athletes. *J. of Sports Medicine and Physical Fitness*. 31:3, 439-?.

- Ji, C-Y., Ohsawa, S. (1996). Changes in somatotype during growth in Chinese youth 7-18 years of age. *American Journal of Human Biology*, 8: 347-359.
- Jürimäe, T. and Jürimäe, J. (2001). *Growth, Physical Activity, and Motor Development in Prepubertal Children*. Boca Raton, FL.: CRC Press.
- Jürimäe, J., Jürimäe, T., Leppik, A. and Hussar, V. (2001). Relationships between anthropometric variables and physical activity in prepubertal girls. *Journal of Human Kinetics*. 5: 13-21.
- Katzmarzyk, P.T., Malina, R.M., Song, T.M.K. and Bouchard, C. (1998). Somatotype and Indicators of Metabolic Fitness in Youth. *American Journal of Human Biology*, 10 (3), 341-350.
- Kaul, S., Karir, B.S. and Handa, N. (1996). Somatotype variations in India. In: L.S. Sidhu and S.P. Singh (Eds.), *Human Biology - Global Developments*, pp. 61-82. Ludhiana, India: USG Publishers & Distributors.
- Kaul, S.S., Karir, B.S. and Monika. (1994). Parent-Daughter somatotype similarities among the Punjabe adolescent girls in Chandigarh. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 415-418. *Humanbiologia Budapestinensis*, 25.
- Khanna, G.L., Saha, M. and Majumdar, P. (1993). Physiological effect of three months training on Indian national volleyballers. *Indian Journal of Sport Science and Physical Education*, 5, 2, 67-73.
- Kieffer, S., Carter, L., Held-Sturman, M., Patterson, P., and Carlson, R. (2000) Physique characteristics of USA national and university level rugby players. In: K. Norton, T. Olds and J. Dollman (Eds.), *Kinanthropometry VI: Proceedings of the Sixth Conference of the International Society for the Advancement of Kinanthropometry*, (pp. 53-77). Adelaide, SA: International Society for the Advancement of Kinanthropometry.
- Kirby, W.J. and Reilly, T. (1993). Anthropometric and fitness profiles of elite female rugby union players. In T. Reilly (Ed.), *Science and Football, II*, pp. 27-30. London: E & FN Spon.
- Kopriva, J. and Cechovsky, K. (1990). Determination of Heath-Carter somatotype and somatotype dispersion index using a computer. *Anthropologie XXVIII*, 1, 31-33.
- Lailhacer A., C., Marin H., M. and Godoy P., J. de D. (1994). Efectos de un programa de entrenamiento con pesas en la composición corporal y somatotipo de dama escolares de 16-18 años. (Effects of a power weight training program in the body composition and somatotype of adolescent school girls.) *Archivos de la Sociedad Chilena de Medicina del Deporte*, 39: 140-147.

- Leake, C.N. and Carter, J.E.L. (1991). Comparison of body composition and somatotype of trained female triathletes. *Journal of Sports Sciences*, 9, 125-135.
- Lopato, M., Montgomery, D.L. and Batista, W.C. (1990). Efeito Da massa e composiç o corporal sobre a produ o de pot ncia m dia no test do wingate. *Revista Brasileira de Ciencia e Movimento*, 4:3, 7-12.
- Malina, R.M. (2006). Growth and maturation of child and adolescent track and field athletes. [Crescita e maturazione de bambini ed adolescenti praticant atletica leggera.] In English and Italian. Federazione Italiana de Atletica Leggera: Roma.
- Malina, R.M., Battista, R.A. and Siegel, S.R. (2002). Anthropometry of Adult Athletes: Concepts, Methods and Applications. In J.A. Driskell and I. Wolinsky (Eds.), *Nutritional Assessment of Athletes*, Ch. 7, pp. 135-175. CRC Press: Boca Raton.
- Malina, R.M., Katzmarzyk, P.T., Song, T.M.K., Theriault, G. and Bouchard, C. (1997). Somatotype and cardiovascular risk factors in healthy adults. *American Journal of Human Biology*, 9, 11-19.
- Malina, R.M., Merrett, D.M.S., Bonci, C.M., Ryan, R.C. and Wellens, R.E. (1996). Relationship between androgyny and somatotype in female athletes and non-athletes. In: L.S. Sidhu and S.P. Singh (Eds.), *Human Biology - Global Developments*, pp. 27-37. Ludhiana, India: USG Publishers & Distributors
- Marfell-Jones, M.J. (1993). World Underwater Hockey Anthropometric Project, 1992. Report to Hillary Commission Sport Science Research and Development Programme and Central Institute of Technology.
- Mazza, J.C., Cosolito, P., Alarcon, N., Galasso, G., Bermudez, C., Gribaudo, G. and Ferretti, J.L. (1992). Somatotype profile of South American Swimmers. In: D. MacLaren, T. Reilly and A. Lees (Eds.), *Biomechanics and Medicine in Swimming; Swimming Science VI*, 371-378.
- Milne, D. C. (1996). Comparison of somatotypes, body composition and age at menarche of age-group and Olympic swimmers. In  . B. Bodzs r & C. Susanne (Eds.), *Studies in Human Biology* (pp. 303-309). Budapest, Hungary: E tv s University Press.
- Milne, C. (1990). Comparison of somatotypes, body composition and age at menarche of age-group and Olympic swimmers. *Journal of Sports Sciences*, 8, (Abstract) 162-163.
- Modiba, L.P., Monyeke, K.D., Du Plessis, L.A.S. and De Ridder, J.H. (1994). Somatotypes of University of the North soccer and volleyball players. In L.O. Amusa (Ed.), *Health, Physical Education, Recreation, Sport and Dance in Africa, Proceedings of the 1st Africa Regional Conference on Physical Recreation and Dance*, pp. 237-242. Gaborone, Botswana: AFAHPER-SD.

- Mokha, R., Kaur, G., Sidhu, L.S. and Singh, J. (1991). Physique and body composition of university level female Kabaddi players. *Indian Journal of Sport Science and Physical Education*, 3, 1, 7-9.
- Mokha, R., Kaur, G., Singh, J. and Sidhu, L.S. (1993). Intersportive differences in physique and body composition of university female players. *Indian Journal of Sport Science and Physical Education*, 5, 2, 84-92.
- Monsma, E.V. and Malina, R.M. (2005). Anthropometric characteristics and somatotype in competitive female figure skaters: Variation across competitive level and skating discipline. *Journal of Sports Medicine and Physical Fitness*, 45.
- Monsma, E.V., Malina, R.M. and Feltz, D.L. (2006). Puberty and physical self-perceptions of competitive female figure skaters: An interdisciplinary Approach. *Research Quarterly for Exercise and Sport*, 77:2; 158-166.
- Monyeki, D.K. (1996). Somatotypes of university academic staff. *African Journal for Physical, Health Education Recreation and Dance*, 2 (1), 80-88.
- Monyeki, K.D. (2002). Somatotype and Sport: Aspirations for Sports Development. In L.O. Amusa and A.L. Toriola (Eds.), *Sport in Contemporary African Society: An Anthology*. South Africa: Xxxxxx?
- Monyeki, K.D., Amusa, L.O., Dhaliwal, H.S., Toriola, A.L. and Monyeki, M.A. (2001). Somatotype of physical education students in Botswana. *Journal of Physical Education and Recreation (Hong Kong)*, 7:1, 49-54.
- Monyeki, K.D., Amusa, L.O., Toriola, A.L., Wekesa, M. and De Ridder, J.H. (1998). Somatotypes of elite female basketball and handball players at the 6th All-Africa games. *African Journal for Physical, Health Education Recreation and Dance*, 4 (1), 1-7.
- Monyeki, K.D., De Ridder, J.H. and Pienaar, A.E. (1994). A morphological profile of 7 to 19 years old northern Sotho boys and girls. In L.O. Amusa (Ed.), *Health, Physical Education, Recreation, Sport and Dance in Africa, Proceedings of the 1st Africa Regional Conference on Physical Recreation and Dance*, pp. 265-272. Gaborone, Botswana: AFAHPER-SD.
- Monyeki, K.D., Monyeki, M.A., Toriola, A.L., Makgae, J.S., de Ridder, H.J., Themane, M.J. and Amusa, L.O. (2005). Somatic characteristics and cardiovascular function in stunted rural South African girls aged 8 to 14 years: Ellisras Longitudinal Growth and Health Study. *African Journal for Physical, Health Education, Recreation & Dance*, 11:3; 249-268 (errors in somatotype).
- Monyeki, K.D. and Toriola, A.L. (1996). Physique of male volleyball players in the Northern Province of South Africa. *African Journal for Physical, Health Education Recreation and Dance*, 2 (2), 102-108.

- Monyeki, K.D., Toriola, A.L., De Ridder, J.H., Kemper, H.C.G., Steyn, N.P., Nthangeni, M.E., Twisk, J.W.R. and Van Lenthe, F.J. (2002). Stability of somatotypes in 4 to 10 rural South African girls. *Annals of Human Biology*, 29:1, 37-49.
- Olds, T. (2003). Extreme physiques. In H. de Ridder and T. Olds (Eds.). *Kinanthropometry* 7, pp. 9-33. Potchefstroom, SAF: Potchefstroom University for Christian Higher Education.
- Olson, H.W., Sprague, H.A., Van Huss, W.D. and Montoye, H.J. (1990). Somatotype and longevity of former university athletes and nonathletes. *Research Quarterly for Exercise and Sport*, 61, 1, 1-6.
- Ortega de Mancera, A. (199?). Determinación del Somatotipo Antropométrico en una Muestra de Niños Provenientes de una Zona Marginal de Caracas: I Desnutridos por el Indicador Talla/Edad. Unpublished manuscript, Instituto de Investigaciones Económicas y Sociales. Universidad Central de Venezuela.
- Ortega de Mancera, A. (199?). El Somatotipo de los Niños de la Vega. Unpublished manuscript. Universidad Central de Venezuela.
- Ortega de Mancera, A. (199?). El somatotipo de un Grupo de Escolares de la Población de Choroní. Unpublished manuscript, Universidad Central de Venezuela.
- Orvanova, E. (1990). Somatotypes of weight lifters. *Journal of Sports Sciences*, 8, 119-137.
- Orvanova, E. (1990). Age group comparisons in body size and shape among elite male and female weight throwers. *Journal of Sports Sciences*, 8, (Abstract) 160-161.
- Owolabi, E.O. and Makpu, D.E.K. (1994). Body composition and somatotype of professional Nigerian division one male soccer and basketball players. In L.O. Amusa (Ed.), *Health, Physical Education, Recreation, Sport and Dance in Africa*, Proceedings of the 1st Africa Regional Conference on Physical Recreation and Dance, pp. 279-286. Gaborone, Botswana: AFAHPER-SD.
- Pacheco del Cerro, J.L., (1992). Análisis antropométrico de los velocistas y vallistas de élite españoles. *Archivos de Medicina del Deporte*, 9 (33), 89-94.
- Pacheco del Cerro, J.L. (1993). Antropometría de los atletas Españoles de elite. Tesis doctoral. Madrid: Universidad Complutense de Madrid.
- Pacheco, J.L., Rosique, J. and Rebato, E. (1990). A somatotypical study of the geographic variations between two Spanish populations. *Anthrop. Anz.*, 48 (3), 279-287.
- Pandey, A.K. and Malik, S.L. (1990). Anthropometric somatotype of Bod girls: A comparison of high and low altitude populations. *American Journal of Human Biology*, 2;5, 467-473.

- Papai, J., Bodzsar, E.B. and Szabo, T. (1998?). Mass fractions, somatotype, and maturity status in athletic boys. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 515-519. *Humanbiologia Budapestinensis*, 25.
- Pena Reyes, M.E., Cardenas-Barahona, E. and Malina, R.M. (1994). Growth, physique, and skeletal maturation of soccer players 7-17 years of age. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 453-458. *Humanbiologia Budapestinensis*, 25.
- Peréz, B.M. and Landaeta-Jiminéz, M. (Eds.), (2004). *Perfil biológico y nutricional de los nadadores del estado Miranda*. Caracas: Ediciones del Vicerrectorado Académico, UCV.
- Philippaerts, R.M., Claessens, A.L., ten Brinke, J.M., van der Scheer, D.G., Beunen, G.P. and Lefevre, J.A.V. (1996). Nutritional habits in body composition, somatotype, physical activity and cardio-respiratory fitness in male and female physical education students. *Acta Kinesiolgogiae Universitatis Tartuensis*, 1: 5-22.
- Pieter, W., Palabrica, J.M. and Bercades, L.T. (1998). Physique of national elite female filipino judo athletes. *Acta Kinesiolgogiae Universitatis Tartuensis*, 3: 49-58.
- Pinto Guedes, D. and Pinto Guedes, J.E.R. (1999). Somatotipo de crianças e adolescentes do município de Londrina – Parana – Brazil. *Revista Brasileira de Cineantropometria & Desempenho Humano*. 1:1, 7-17.
- Porta Manzanido, J. (1999). Cuantificación y distribución del tejido adiposo en deportistas por resonancia magnética nuclear. Análisis comparativo con diversos métodos de valoración de la composición corporal. Tesis doctoral. Barcelona: Universidad de Barcelona.
- Powell, L.A. (1991). Physique and performance characteristics of elite male and female volleyball players. M.A. thesis, San Diego State University, San Diego.
- Radev, A.I. (1994). Somatotype and proportionality of body mass in men and women. *Comptes rendus de l'Academie bulgare des sciences: sciences mathematiques et naturelles*, 47:1, 129-?.
- Radev, A.I. (1995). Somatotype and correlation dependence between the proportional body mass and z-values of some anthropometric parameters in women. *Comptes rendus de l'Academie bulgare des sciences: sciences mathematiques et naturelles*, 48:7, 119-?.
- Rankin, P.L. (1991). *Physiques of male elite track cyclists*. M.A. thesis, San Diego State University, San Diego.
- Raudsepp, L., and Jurimae, T. (1996). Somatotype and physical fitness of prepubertal children. *Collegium Antropologicum*, 20: (1), 53-59.

- Rebato, E. (1994). Variaciones del somatotipo con la actividad física en adolescentes bilbainos. Datos preliminares. *Kobie (Serie Ciencias Naturales)*, Bilbao, XXII, 33-40.
- Rebato, E. and Rosique, J. (1994). Morfología corporal y estructura somatotípica en población vasca. *Cuadernos do Sección. Antropología-Etnografía*, 11, 241-258.
- Rebato, E., Rosique, J. and González Apraiz, A. (1996). Somatotypes of 14 to 19 years old urban boys and girls from Bilbao (Basque Country). *Anthrop. Anz.*, 54 (2), 135-147.
- Rempel, R. (1994). A modified somatotype assessment methodology. M.Sc. thesis, Simon Fraser University, Burnaby, B.C. Canada.
- Riegerova, J. (1993). Changes of the somatotype of children in puberty (in Czech). In P. Blaha and V. Vancata (Eds.), *Dr. Ales Hrdlicka and anthropology in 1993*. pp. 49-51. Prague: Charles University.
- Riegerova, J. and Pavelkova, L. (1993). The body structure and the risk of cardiovascular diseases. In P. Blaha and V. Vancata (Eds.), *Dr. Ales Hrdlicka and anthropology in 1993*. pp. 109-112. Prague: Charles University.
- Rienzi, E., Mazza, J.C., Carter, J.E.L. and Reilly, T. (Eds.) (1996). *Futbolista Sudamericano de Elite: Morfología, Analisis de Juego y performance*. Rosario: Biosystem Servicio Educativo.
- Rienzi, E., Reilly, T., and Malkin, C. (1999). Investigation of anthropometric and work-rate profiles of Rugby Sevens players. *J. Sports Medicine and Physical Fitness*. 39: (2), 160-164.
- Rienzi, E., Drust, B., Reilly, T., Carter, J.E.L., and Martin, A. (2000) Investigation of anthropometric and work-rate profiles of elite South American international soccer players. *J. Sports Medicine and Physical Fitness*, 40: 162-169.
- Rienzi, E., Pérez, M., Stefani, M, Maiuri, C. and Rodríguez, G. (2003). Anthropometric characteristics of Rugby Sevens players: An evaluation during two consecutive international events. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 12, pp. 131-141. London: Routledge.
- Rocha, M.A., Dourado, A.C. and Gonçalves, H.R.. (1996). Estudo do somatótipo da seleção Brasileira de voleibol nas categorias infanto-juvenil e juvenil - 1995. *Revista da Associação dos Professores de Educação Física de Londrina*, 11 (19), 21-30.
- Roll, B.H. (1994). Looking back on forty-five years of somatotype research. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 409-413. *Humanbiologia Budapestinensis*, 25.

- Rosique, J., Rebato, E., Gonzalez Apraiz, A. and Pacheco, J.L. (1994). Somatotype related to centripetal fat patterning of 8- to 19-year- old Basque boys and girls. *American Journal of Human Biology*, 6, 2, 171-181.
- Ross, W.D., Carr, R., and Carter, J.E.L. (1999) *Anthropometry Illustrated* (CD-Rom.). Surrey, CAN: Turnpike Electronic Publications, Inc.
- Sanchez-Andres, A. (1995). Genetic and environmental influence on somatotype components: a family study in a Spanish population. *Human Biology*, 67:5, 727-738.
- Satake, T., Morris, P.G., Danker-Hopfe, H. and Malina, R.M. (1993). Plotting somatotypes using SAS/GRAPH. *American Journal of Human Biology*, 5, 2, 237-241.
- Semple, S., Neveling, N. and Roussouw, R. (2003). Physical and performance-related profile of elite male South African distance runners. *African Journal for Physical, Health Education, Recreation and Dance*, 9:2, 238-249.
- Sharma, S.S., Shukla, N.P.B. and Shukla, B.R.K. (1990). Physique of young top Indian hockey players in relation to their field of specialisation. *Indian Journal of Sport Science and Physical Education*, 2, 2, 88-96.
- Shirinde, M.J., Monyeke, K.D., Du Plessis, L.A.S. and De. Ridder, J.H. (1994). Somatotypes of physical education students of the University of the North. In L.O. Amusa (Ed.), *Health, Physical Education, Recreation, Sport and Dance in Africa, Proceedings of the 1st Africa Regional Conference on Physical Recreation and Dance*, pp. 297-302. Gaborone, Botswana: AFAHPER-SD.
- Siders, W.A., Lukaski, H.C. and Bolonchuk, W. (1993). Relationships among swimming performance, body composition and somatotype in competitive collegiate swimmers. *Journal of Sports Medicine and Physical Fitness*. 33:166-171.
- Siegel, S.R., Katzmarzyk, P.T. and Malina, R.M. (1996). Somatotypes of female soccer players 10-24 years of age. In É. B. Bodzsár & C. Susanne (Eds.), *Studies in Human Biology* (pp. 277-285). Budapest, Hungary: Eötvös University Press.
- Singal, P. and Kaur, S. (1993). Physique and body composition of urban and rural Jat-Sikh girls of Punjab. *Indian Journal of Sport Science and Physical Education*, 5, 1, 47-49.
- Singh, I.P. and Bhasin, M.K. (2004). Somatotyping. In: I.P. Singh and M.K. Bhasin (Eds.) *A Manual of Biological Anthropology*. (Chapt. 9, pp. 253-256.)
- Sodhi, H.S. (1991). *Sports Anthropometry*. Mohali, India: ANOVA Publications.
- Solokun, S.O. (1991). Perceived somatotype as related to self-concept in Nigerian adolescent high school students. *J. of Sports Medicine and Physical Fitness*, 31:4, 611-?.

- Solokun, S.O. (1994). Minimizing injury rates in soccer through preselection of players by somatotypes. *J. of Sports Medicine and Physical Fitness*, 34:1, 64-?
- Song, J.K., Claessens, A.L., Lefevre, J. and G. Beunen. (1994). The plasticity of human physique in adult men followed longitudinally from 18-35 years. In O.G. Eiben (Ed.), *Auxology '94, Children and Youth at the end of the 20th Century*, pp. 419-424. *Humanbiologia Budapestinensis*, 25.
- Song, T.M.K., Malina, R.M. and Bouchard, C. (1993). Familial resemblance in somatotype. *American Journal of Human Biology*, 5, 3, 265-272.
- Song, T.M.K., Perusse, L., Malina, R.M. and Bouchard, C. (1994). Twin resemblance in somatotype and comparisons with other twin studies. *Human Biology*, 66:3, 453-464.
- Stefanicki, E., Kosova, A., Flora, K. and Böhmer, D. (No date). Physical Structure of Top Young Volleyball Players. Unpublished manuscript, Institute of Sports Medicine Frankfurt/M., Germany.
- Sterkowicz, S. and Zarow, R. (1988). Charakterystyka budowy somatycznej karateków. *Wychowanie Fizyczne i Sport*, no. 4, p. 69-77 (in Polish, English Abstract "The characteristic of a somatic build of karateists).
- Sterkowicz, S. and Zarow, R. (1994). Charakterystyka budowy somatycznej zawodniczek karate. *Wychowanie Fizyczne i Sport*, No. 3, pp. 33-41 (in Polish, English Abstract "The characteristic of a somatic build of female karateists).
- Sterkowicz, S. (1994). Body Build and Physical Fitness of Karate Fighters. *Antropomotoryka*, No. 11, pp. 41-76.
- Stewart, A.D. (2003). Anthropometric fat patterning in male and female subjects. In T. Reilly and M. Marfell-Jones (Eds.). *Kinanthropometry VIII*, Ch. 18, pp. 194-201. London: Routledge.
- Stewart, A.D., Benson, P.J., Michanikou, E.G., Tsiota, D.G. and Narli, M.K. (2003). Body image perception, satisfaction and somatotype in male and female athletes and non-athletes: results using a novel morphing technique. *Journal of Sports Sciences*, 21:10, 815-823.
- Stoklosa, H. and Malgorzata S. (2003). The assessment of somatotype and bone mass density in female athletes. *Journal of Human Kinetics*, 9, 107-112.
- Suriarajan, P., Solomon, T.S., Sodhi, H.S. and Herm, K.P. (1990). Somatotype of Indian hockey and athletic team probales using Conrad and Heath-Carter methods. *Origins of Kinanthropometry*, 33-44.

Susanne, C., Bodzsár, E.B., and Castro, S. (1998). Factor analysis and somatotyping, are these two physique classification methods comparable? *Annals of Human Biology*, 25 (5), 405-414.

Szmodis, M., Bodzsár, E.B., Szmodis, I. and Mészáros, J. (2002). Exploratory regressions analysis of aerobic capacity on anthropometric variables. In: O.G. Eiben and E.B. Bodzsár, with A. Zsákai (Eds.), *Children and Youth at the Beginning of the 21st Century*. *Humanbiologia Budapestensis*, 27, 167-173.

Tomazo-Ravnik, T. (1996). Juvenile somatotypes in Slovenia. In É.B. Bodzsár & C. Susanne (Eds.), *Studies in Human Biology* (pp. 335-342). Budapest, Hungary: Eötvös University Press.

Tomkinson, G.R., Olds, T.R., and Carter, J.E.L. (1999) The body size and shape of male shop mannequins. In: *Proceedings of The Body Culture Symposium*, (pp. 118-128). Melbourne, AUS: Body Image and Health, Inc.

Tomkinson, G., Olds, T., and Carter, L. (2000) The anthropometry of desire: the body size and shape of female shop mannequins. In: K. Norton, T. Olds and J. Dollman (Eds.), *Kinanthropometry VI: Proceedings of the Sixth Conference of the International Society for the Advancement of Kinanthropometry*, (pp.233-252). Adelaide, SA: International Society for the Advancement of Kinanthropometry.

Tomkinson, G.R., Popovic, N. and Martin, M. (2003). Bilateral symmetry and competitive standard attained in elite and sub-elite sport. *Journal of Sports Sciences*, 21:3, 201-211.

Tommaseo, M. and Viviani, F. (1991). Il somatotipo delgi Asmat (Irian Jaya, Indonesia). *Quaderni de Anatomia Pratica - S*, 1-4, pp. 1-5.

Toriola, A.L., Amusa, L.O., Monyeke, K.D., Wekesa, M., De Ridder, J.H., Carter, J.E.L. (2000). Body composition of elite African racket games players. *African Journal for Physical, Health Education, Recreation and Dance*, 6(1), 48-53.

Toteva, M. (1992). *Somatology in Sports*. National Sports Academy, Sofia, Bulgaria.

Travill, A.L., Carter, J.E.L. and Dolan, K.P. (1994). Anthropometric characteristics of elite male triathletes. In: F.I. Bell and G.H. Van Gyn (Eds.), *Access to Active Living, Proc. 10th Commonwealth & Int. Scientific Congr., Kinanthropometry Section*, 10-14 Aug. 1994, Victoria, B.C., Canada, 340-343.

Travill, A.L. and Carter, J.E.L. (1995) Somatotypes of male Olympic high, long and triple jumpers. *South African Journal for Research in Sport, Physical Education and Recreation*, 18(1): 67-75.

- Travill, A.L. (2000). Nutritional status, growth, physical performance and maturation of socially disadvantaged boys and girls. Ph.D. thesis, University of the Witwatersrand, Johannesburg, South Africa.
- Van Der Walt, T.S.P. and De Ridder, J.H. (1993). Somatotypes of Asian, Coloured, European and Negroid groups of South Africa. In: A.L. Claessens, J. Lefevre, B. Vanden Eynde (Eds.), *World-Wide Variation in Physical Fitness*. Leuven: Institute of Physical Education, 177-181.
- Vasquez-Halseth, C. (1993). Physical structure and body composition of elite aerobic dance athletes. M.A. thesis, San Diego State University, San Diego, CA.
- Vieira, F., Fragoso, I., Silva, L. and Canto e Castro, L. (2003). Morphology and Sports Performance in Children Aged 10-13 Years: Identification of Different Levels of Motor Skills. In T. Reilly and M. Marfell-Jones (Eds.), *Kinanthropometry VIII*, Ch. 9, pp. 193-103. London: Routledge.
- Viviani, F. (1994). The somatotype of medium class Italian basketball players. *The Journal of Sports Medicine and Physical Fitness*, 34, 1, 70-75.
- Viviani, F. (2001). Body image and its relationships with body composition and somatotype in adolescents. In: T. Jürimäe and A.P. Hills (Eds), *Body Composition Assessment in Children and Adolescents, Medicine and Sport Science*, Vol. 44. pp. Basel: Karger.
- Viviani, F. and Baldin, F. (1993). The somatotype of "amateur" Italian female volleyball players. *J. of Sports Medicine and Physical Fitness*. 33:4, 400-?
- Viviani, F., Bortoli, L., Robazza, C. and Casagrande, G. (1995). Somatotype, self-concept and physical self-efficacy in peripubertal students. In C. Garcia Lopez (Ed.), *Actas del Congreso Científico Olimpico 1992, Biomechanica y Cineantropometria*, Vol. V, pp. 371-373. Malaga, Spain: Instituto Andaluz del Deporte.
- Viviani, F. and Calderan, M. (1991). The somatotype in a group of "top" free-climbers. *The Journal of Sports Medicine and Physical Fitness*, 31, 4, 581-586.
- Viviani, F. and Gasagrande, G. (1996). Assessing the relationship existing between body image and somatotype in circumpubertal athletes and non-athletes [abstract]. *The 4th International Conference of Sports Sciences for Young Scientists* (p. 51). Estonia: University of Tartu.
- Viviani, F. and Grassivaro Gallo, P. (1991). Il somatotipo in un gruppo di giovani guineani (Guinea-Bissau). *Antropologia Contemporanea*, 14, 1-3, 229-231.
- Viviani, F. and Gassivaro Gallo, P. (1993). Il somatotipo in un gruppo di adolescenti (Chamba, Sulawesi, Indonesia). *Antropologia Contemporeanea*, 16, 1-2-3-4, 365-371.
- Viviani, F. and Grassivaro Gallo, P. (1993). The morphotype in a group of peri-pubertal soccer players. *The Journal of Sports Medicine and Physical Fitness*, 33, 2, 178-183.

- Wildschutt, P.J., Travill, A.L., Leach, L. and Burrell, L. (2002). Anthropometric and physiological characteristics of South African triathletes. *African Journal for Physical, Health Education, Recreation and Dance*, 8(2), 297-308.
- Wilson, N.C., Russell, D.G. and Wilson, B.D. (1993). *Body Size and Shape of New Zealanders*. Dunedin, New Zealand: LINZ Activity & Health Research Unit, University of Otago.
- Yu, Minghu. (1992). *An exploratory somatotype study of children with movement difficulties*. M.P.E. thesis, The University of New Brunswick, New Brunswick.
- Zaletnyik, Z. (1998). Asztaliteniszezők Testalkata. (Physique of table-tennis players.) *Anthrop. Közl.* 39: 103-124.